

Issued Date: 2012. 06. 21 Page 1 of 4

To: KUMHO PETROCHEMICAL CO., LTD. #680, Sanggae-dong, Nam-gu, ULSAN KOREA

The following merchandise was submitted and identified by the client as :

SGS File No.	: AYAU12-03240
Product Name	: KUMHO 1507
Item No./Part No.	: N/A
Received Date	: 2012. 06. 18
Test Period	: 2012. 06. 19 to 2012. 06. 21
Test Results	: For further details, please refer to following page(s)
Test Performed	: SGS Korea tested the sample(s) selected by applicant with following results.

SGS Korea Co. Ltd. / Gimhae Laboratory

Theong

Sharpless Park Jonadan Lee Taehee Kang Jongsir Lim/Testing Person

Thomas Hwang / Gimhae Lab. Mgr

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www sgs com/terms and conditions htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www sgs com/terms and conditions htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www sgs com/terms and conditions htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www sgs com/terms and conditions htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www sgs com/terms and conditions htm</u> and, for electronic Documents and within the limits of Clerifs instructions, if any. The Company's sole responsibility is to its Client and this document documents to end exon retained for the limits and bigations under the transaction on comments. This document is unlawful and difficulties there of the limits extent of the limits the matching extent extend extent extent extend extend extendes e



Issued Date: 2012. 06. 21 Page 2 of 4

Sample No.	: AYAU12-03240.001
Sample Description	: KUMHO 1507
Item No./Part No.	: N/A
Materials	: N/A
Heavy Metals	

Test Items	Unit	Test Method	MDL	Results
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, ICP	1	N.D.
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, ICP	5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, ICP	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	With reference to IEC 62321:2008, UV-VIS	1	N.D.

Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.


NOTE:(1) N.D. = Not detected.(<MDL)

- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) ** = Qualitative analysis (No Unit)
- (7) * = Boiling-water-extraction:
 - Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_end-conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_end-conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_end-conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_end-conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_end-conditions.htm</u> and, for electronic format documents and <u>wished therain</u>, Any the Company's sole responsibility is to Its Client and this document to the document to unlawful and offenders may be prosecuted to the fulles textent of the tates at the most subscience state the results shown in this text proor refer only to the sample(s) are retained for 180 days only.





NOTE:(1) N.D. = Not detected.(<MDL)

- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) ** = Qualitative analysis (No Unit)
- (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating


Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at<u>www sqs com/terms and conditions htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at<u>www sqs com/terms and conditions htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at<u>www sqs com/terms e-document htm</u>. Attendion is drawn to the limitation of lability, indemnification and jurisdiction issues defined therein. Any holder of this document to the limitation of labolity, indemnification and jurisdiction issues defined therein. Any holder of this document to this document to be service parties to a transaction for exercising at their rights and adbigations under the transaction documents. This documents is unawly indemnification and forders may be prosecuted to the limits extend of the limit to coment of the limits shown in this test terport refer only to the sample(s) are related for 180 days only.



Issued Date: 2012. 06. 21 Page 4 of 4

Testing Flow Chart for RoHS:Cd/Pb/Hg/Cr⁶⁺ /PBBs&PBDEs Testing



The samples were dissolved totally by pre-conditioning method according to above flow chart for Cd,Pb,Hg. Section Chief : Shapless Park

*** End ***

NOTE:(1) N.D. = Not detected.(<MDL)

- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) ** = Qualitative analysis (No Unit)
- (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible alt<u>www sas conterms</u> and conditions thm and, for electronic format documents, subject to Terms and Londitions for Electronic Documents atweed was as conterms. Any holder of this document to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document to that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document document is unlawful and offenders may be prosecuted to the fullies extend of the law. Unless dherwise statute the results shown in this test protor terror only to the sample(s) are retained for 180 days only.