

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : KUMHO 1723
UFI : HM30-E0S5-C00D-MM0J

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Manufacture of tyres and general rubber articles, including processing of raw (uncured) rubber, handling and mixing of rubber additives, vulcanising, cooling and finishing

1.2.2. Uses advised against

Restrictions on use : Not available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Kumho Petrochemical Co. Ltd
64, Sanggae-ro, Nam-gu, Ulsan, 44786, Republic of Korea
T +82-52-259-6051~7 - F +82-52-259-6053

Supplier

TsafeE GmbH
Landwehrpl 6, 66111, Saarbruecken, Germany
T +49 177 9166175
shkim@tsafeq.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) Universitätsmedizin Göttingen - Georg-August-Universität	Robert-Koch Straße 40 37075 Göttingen	+49 (0) 551 19240	(English only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements : EUH208 - Contains N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine. May produce an allergic reaction.

2.3. Other hazards

Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1%.

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
STYRENE/BUTADIENE COPOLYMER	(CAS-No.) 9003-55-8	66 – 70	Not classified
Distillates (petroleum), solvent-refined heavy paraffinic	(CAS-No.) 64741-88-4 (EC-No.) 265-090-8	26 – 28	Not classified
Rosin, potassium salts	(CAS-No.) 61790-50-9 (EC-No.) 263-142-4	1 – 5	Eye Irrit. 2, H319
Fatty acids, C14-18 and C16-18-unsatd	(CAS-No.) 67701-06-8 (EC-No.) 266-930-6	1 – 5	Not classified
N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	(CAS-No.) 793-24-8 (EC-No.) 212-344-0	< 0.2	Acute Tox. 4 (Oral), H302 (ATE=893 mg/kg bodyweight) Skin Sens. 1, H317 Repr. 1B, H360 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Get medical attention.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If breathing is difficult, trained personnel should give oxygen.
First-aid measures after skin contact	: Immediately rinse with plenty of water (for at least 15 minutes). Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Get medical attention immediately if irritation persists.
First-aid measures after eye contact	: Immediately rinse with plenty of water (for at least 15 minutes). Get medical attention.
First-aid measures after ingestion	: Get medical advice/attention. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: For a minor fire : Dry chemical, CO2, dry sand, or alcohol-resistant foam. Water spray. Foam. For a significant fire : Water spray. Foam.
Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread.

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Thermal decomposition can lead to the release of irritating gases and vapours. Vapours may cause fire/explosion if source of ignition is present. Pressurised container: May burst if heated.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO₂). Toxic gases are released. Toxic vapours are released.

5.3. Advice for firefighters

- Firefighting instructions : Cool containers with flooding quantities of water until well after fire is out. Move containers away from the fire area if this can be done without risk. Keep upwind. Do not breathe fumes. Avoid ignition sources. Fight fire from safe distance and protected location.
- Protection during firefighting : Use personal protective equipment as required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Avoid inhalation of vapours. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking. Evacuate area. Do not enter without an appropriate protective equipment. Do not attempt to take action without suitable protective equipment.

6.1.2. For emergency responders

- Protective equipment : Wear protective gloves, protective clothing. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow to enter drains or water courses. Relevant water authorities should be notified of any large spillage to water course or drain.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Significant spillages: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. High. Position. Stay upwind/keep distance from source. Notify environmental authorities. Keep in suitable, closed containers for disposal. See Section 13 for disposal information. Small spillages: Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Wash thoroughly after handling.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wear personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Store in accordance with local, regional, national or international regulation. Take precautionary measures against static discharge. antistatic boots. Antistatic clothing.
- Hygiene measures : Appropriate engineering controls. Eyewash station. Safety shower.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Keep out of direct sunlight. Keep away from combustible materials.

7.3. Specific end use(s)

For further information see section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)

Germany - Occupational Exposure Limits (TRGS 900)

Local name	N-1,3-Dimethylbutyl-N'-phenyl-p-phenylendiamin
AGW (OEL TWA) [1]	2 mg/m ³ (E)
Peak exposure limitation factor	2(II)
Remark	DFG;Y;Sh
Regulatory reference	TRGS900

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

General ventilation. with local exhaust ventilation. Do not exceed the occupational exposure limits (OEL).

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: dark brown.
Odour	: mild.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not applicable
Boiling point	: Not applicable
Flammability	: Non flammable.
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: 246 °C
Auto-ignition temperature	: 388 °C
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not applicable
Vapour pressure at 50 °C	: Not applicable
Density	: Not available
Relative density	: Not applicable
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Not available.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Not available.

10.6. Hazardous decomposition products

Carbon dioxide (CO₂). Carbon monoxide. smokes. Hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not available
Acute toxicity (dermal) : Not available
Acute toxicity (inhalation) : Not available

Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
---------------	---

Rosin, potassium salts (61790-50-9)

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
-----------------	--

Fatty acids, C14-18 and C16-18-unsatd (67701-06-8)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)), Guideline: other: Bewertung Wassergefährdender Stoffe, II Bestimmung der akuten, oralen Säugetiertoxizität, Ad-hoc-Arbeitsgruppe I (Obmann Dr. Niemits), LTW S, nr. 10, September 1979
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 434 (Acute Dermal Toxicity - Fixed Dose Procedure)
LC50 Inhalation - Rat	> 0.1621 mg/l air Animal: rat

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)

LD50 oral rat	1005 mg/kg bodyweight male
LD50 oral	893 mg/kg bodyweight female rat
LD50 dermal rabbit	> 7940 mg/kg bodyweight Animal: rabbit

Skin corrosion/irritation : Not available
Serious eye damage/irritation : Not available
Respiratory or skin sensitisation : Not available
Germ cell mutagenicity : Not available
Carcinogenicity : Not available

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)

NOAEL (male/female, rat)	84.8-109.5 mg/kg bw/day
--------------------------	-------------------------

Reproductive toxicity : Not available

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)	
NOAEL (animal/male, F0/P)	60 mg/kg
NOAEL (animal/female, F0/P)	7 mg/kg
NOAEL (neonatal, F1)	20 mg/kg/day (rat)
NOAEL (adult, F1)	60 mg/kg/day (rat)

STOT-single exposure : Not available

STOT-repeated exposure : Not available

Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Fatty acids, C14-18 and C16-18-unsatd (67701-06-8)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)	
LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: other:Guideline for 28-day Repeat Dose Toxicity Testing of Chemicals (Japan)
NOAEL (oral, rat, 90 days)	20 mg/kg bodyweight Animal: rat, Guideline: other:Guideline for 28-day Repeat Dose Toxicity Testing of Chemicals (Japan)

Aspiration hazard : Not available

KUMHO 1723	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not available
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.
Not rapidly degradable

Rosin, potassium salts (61790-50-9)	
LC50 - Fish [1]	1.7 mg/l Pimephales promelas

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Fatty acids, C14-18 and C16-18-unsatd (67701-06-8)

ErC50 algae	205.42 mg/l Skeletonema costatum (marine diatom)
LC50, aquatic invertebrates	357.5 mg/l (copepod Acartia tonsa)

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)

LC50 - Fish [1]	0.028 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	0.23 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.335 mg/l Pseudokirchneriella subcapitata
LOEC (chronic)	0.087 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.028 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.0037 mg/l Test organisms (species): Oryzias latipes Duration: '30 d'
NOEC chronic algae	0.23 mg/l Desmodesmus subspicatus

12.2. Persistence and degradability

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)

Biodegradation	2 % 4 weeks
DT50	1.7 Hours
Hydrolysis	8 Hours (@ 26°C)

12.3. Bioaccumulative potential

KUMHO 1723

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine (793-24-8)

BCF - Fish [1]	1.2 – 23 Cyprinus carpio (Common carp)
Bioconcentration factor (BCF REACH)	568.7

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

KUMHO 1723

Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1%.
--

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Incineration. Oil-Water Separation. Dispose of contents/container in accordance with licensed collector's sorting instructions. Contact. Waste treatment and disposal. Company.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.2. National regulations

Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
- Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
- Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
- Storage class (LGK, TRGS 510) : LGK 13 - Non-combustible solids that cannot be assigned to any of the above storage classes
- Joint storage table :
- | | | | | |
|----------|---------|----------|----------|-----------|
| LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A |
| LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C |
| LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B |
| LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 |
- Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7
- Joint storage with restrictions permitted for : LGK 4.1A, LGK 5.1C
- Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level

KUMHO 1723

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine. May produce an allergic reaction.

The classification complies with : ATP 12

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.